



QUARTERLY

March 2001

STD

Announcing:

STD/HIV Quarterly Report

available by e-mail

in Microsoft Word

Call 1-800-376-2501

INDIANA QUARTERLY REPORT

At A Glance

 Quarterly and Cumulative HIV/AIDS and STD Data

HIV/AIDS Cumulative Data Tables

- Mode of Transmission and Age at Diagnosis
- ➤ Race/Ethnicity by Sex, Indiana, and U.S./Indiana Census Figures
- ➤ Perinatal HIV Transmission

HIV/AIDS Prevalence Data Tables

- ► Living with HIV Disease by Current County of Residence by Race/Ethnicity, Sex, and
- Major Modes of Transmission (internet edition only)

Maps

- ► HIV/AIDS by County of Residence
- ➤ AIDS Death by County of Residence

Sexually Transmitted Disease (STD) Data Tables

▶ Race/Ethnicity, Age, and Gender

Every Issue

▶ Bulletin Board

Frank O'Bannon Governor Gregory A. Wilson, M.D. State Health Commissioner

Bulletin Board

| HIV Prevention Community Planning Gro | ıın | |
|--|---------------------------|--|
| Elkhart Indiana State Department of Health Indiana State Department of Health Indiana State Department of Health Clarksville | цр | 05/15/01 06/19/01 07/17/01 08/21/01 09/18/01 |
| For locations and information, call (317) 233-7197 | Cathy Archey-Morgan | |
| Indiana HIV Statewide Consumer Advisor | y Board | |
| Indiana State Department of Health Rice Auditorium unless noted - 10:00 am-4:00 pm. For information, call (317) 233-7382 | Lori Martin | 06/13/01 07/11/01 08/08/01 09/12/01 |
| Care Coordination Quarterly Training | | |
| Indiana State Department of Health Indiana State Department of Health Indiana State Department of Health Location to be announced - 10:00 am-3:00 pm For information, call (317) 233-7672 | Kari Brown | 04/27/01 06/22/01 08/31/01 |
| Counseling and Testing Program | | |
| Fundamentals of HIV Prevention Counseling Partner Counseling and Referral Services STD Course STD Course Indiana State Department of Health, 8 th floor Training Rooms 1 and 2 at 9:00 am-4:00 pm For information, call (317) 233-7106 | Leigh Johnston | All scheduled classes are closed to registration 06/15/01 Fort Wayne 06/25/01 Richmond |
| HIV/AIDS Reporting Address To order an HIV/AIDS reporting packet, please call the and Research office at 1-800-376-2501 or write to: | e Office of Clinical Data | |
| Office of Clinical Data and Reser Indiana State Department of He 2 North Meridian Street, 6C Indianapolis, IN 46204-3006 | alth | |

The *HIV/STD Quarterly Report* is a publication of the Indiana State Department of Health with funding assistance from the Centers for Disease Control and Prevention.

Gregory A. Wilson, M.D.

State Health Commissioner

Michael S. Butler

Director, Division of HIV/STD

Jerry V. Burkman, R.N., M.P.H.

Epidemiologist, Surveillance Program Manager

Cheryl Thomas

Layout Design

Jim Beall, Stephanie Edwards, L.P.N., Julie Goodman, L.P.N., Gloria O'Harra, L.P.N., Brenda Phipps, R. N., Linda Slinkard, Melissa Christner

Contributors

Indiana State Department of Health Division of HIV/STD 2 North Meridian Street, 6-C Indianapolis, IN 46204-3006

Division of HIV/STD information

| Division of HIV/STD Web site www.state.in.us/isdh/programs/hivstd/index.htm | |
|---|--|
| Communicable Disease Reporting Rule of October 11, 2000 www.state.in.us/legislative/iac/title410.html www.state.in.us/isdh/publications/comm_dis_rule.pdf | |
| Data Requests for HIV or STD information | (317) 233-7536 |
| HIV/AIDS Clinical Data and Research Program for case reporting Recalcitrant Program | (317) 233-7406 or (800) 376-2501 (317) 233-7506 |
| ISDH Medical Services Program* MATEC American Red Cross Training | (866) 588-4948 toll free (317) 929-5562 (317) 684-4340 |
| Prevention/Education | (317) 233-7840 |
| Counseling/Testing/Referral/Partner Notification | (317) 233-7840 |
| *Please direct AIDServe Indiana inquiries to this number. | |

(317) 233-7499

At a Glance

Quarterly and Cumulative HIV/AIDS and STD Data

The statistics reported in this document are compiled by the Clinical Data and Research and the Sexually Transmitted Disease programs. These are two of five program areas that compose the Division of HIV/STD, Indiana State Department of Health. Information from the Counseling, Testing, & Referral, Prevention, and Medical Service Programs will be featured at various times of the year in this quarterly report.

| HIV/AIDS Cases | Indiana HIV | Indiana AIDS | U.S. AIDS* | |
|-------------------------------------|-------------------------------|--------------------|--------------------|--|
| New This Quarter | 86 | 64 | 43,517++ | |
| Cumulative | 3,527 | 6,151 | 753,907 | |
| [| | | | |
| Indiana STD Cases | Primary/Secondary Syphilis | Gonorrhea | Chlamydia | |
| Indiana STD Cases 1st Quarter 2001 | | Gonorrhea 1,692 | Chlamydia 4,063 | |

^{*}U.S. AIDS Cases through June 2000

Information Update

The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-1). Patients that are diagnosed in another state and are in Indiana must also be reported in Indiana. All infants born to an HIV+ mother are to be reported, even though their final HIV status is not known until later. It is also important to remember that when a patient progresses from HIV infection stage to a diagnosis of AIDS, this must be reported separately. To assist with more accurately defining the impact of HIV and AIDS on Indiana, deaths of those infected with the HIV should also be reported. For assistance, questions, or case report forms and information, please call 1-800-376-2501.

Technical Notes

Cases in the HIV registry and the AIDS registry are distinct numbers. When a case meets the surveillance case definition of AIDS, it is moved from the HIV registry to the AIDS registry. This results in non-cumulative totals for HIV.

Some adolescent AIDS cases have pediatric risk factors because they were less than 13 years old when infected.

⁺⁺New U.S. AIDS cases July 1999 through June 2000

Cumulative Indiana HIV and AIDS Cases Reported Through March 2001 Cumulative U.S. AIDS Cases Reported Through June 2000

| Mode of Transmission (Risk Factors) | HIV Cases | %* | AIDS Cases | % | U.S. AIDS Cases** | % |
|--|--------------|-------|---------------|-------|----------------------|-------|
| Men who have sex with men (MSM) | 1667 | 61% | 3,855 | 63% | 348,657 | 46% |
| Injection Drug User (IDU) | 382 | 14% | 627 | 10% | 189,242 | 25% |
| MSM & IDU | 156 | 6% | 427 | 7% | 47,820 | 6% |
| Hemophilia | 23 | 1% | 78 | 1% | 5,121 | 1% |
| Heterosexual | 454 | 17% | 522 | 8% | 78,209 | 10% |
| Transfusion | 23 | 1% | 100 | 2% | 8,666 | 1% |
| Ped Hemophilia | 7 | 0.26% | 17 | 0.28% | 236 | 0.03% |
| Mother HIV+ or AIDS | 29 | 1% | 32 | 1% | 8,027 | 1.06% |
| Pediatric Transfusion | 1 | 0.04% | 4 | 0.07% | 381 | 0.05% |
| Not Identified at This Time | 785 | | 489 | 8% | 67,545 | 9% |
| Total | 3,527 | | 6,151 | 100% | 753,907 | 100% |
| Total HIV with risk factor reported | 2,742 | 100% | - | - | - | - |

^{*}Percentages calculated on reports that **include a risk factor**.

^{**}U.S. Total includes 3 with unknown gender

| Age At Diagnosis | HIV Cases | % | AIDS Cases | % | U.S. AIDS Cases** | % |
|---------------------|--------------|------|---------------|------|----------------------|-------|
| 0-12 | 39 | 1% | 41 | 1% | 8,804 | 1.17% |
| 13-19 | 134 | 4% | 41 | 1% | 3,865 | 0.51% |
| 20-29 | 1,322 | 37% | 1,210 | 20% | 126,105 | 17% |
| 30-39 | 1,372 | 39% | 2,917 | 47% | 337,501 | 45% |
| 40-49 | 493 | 14% | 1,381 | 22% | 196,526 | 26% |
| 50-Above | 167 | 5% | 561 | 9% | 81,103 | 11% |
| Total | 3,527 | 100% | 6,151 | 100% | 753,907 | 100% |

Totals may not add to 100% due to rounding.


Cumulative Cases Through March 31, 2001 - Indiana HIV/AIDS Cumulative Cases Through June 2000 - U.S. AIDS

RACE/ETHNICITY BY SEX


- * Includes 784 males and 173 females whose race is unknown
- **Includes 3 persons whose sex is unknown

| | Indiana HIV | | | | | Indiana AIDS | | | U.S. AIDS* | | | |
|-------------------------|-------------|-------|--------|-------|-------|--------------|--------|------|--------------------|------|--------------------|------|
| Race | Male | % | Female | % | Male | % | Female | % | Male | % | Female | % |
| White | 1,787 | 62% | 325 | 50% | 4,046 | 73% | 357 | 56% | 296,931 | 48% | 27,889 | 22% |
| Black | 952 | 33% | 305 | 47% | 1,286 | 23% | 257 | 40% | 208,389 | 33% | 74,331 | 58% |
| Hispanic | 121 | 4% | 21 | 3% | 167 | 3% | 20 | 3% | 111,895 | 18% | 25,680 | 20% |
| Other | 14 | 0.46% | 2 | 0.31% | 13 | 0.22% | 5 | 1% | 6,673 | 1% | 1,106 | 1% |
| Total with missing race | 2,874 | 100% | 653 | 100% | 5,512 | 100% | 639 | 100% | 623,888 624,714 | 100% | 129,006 129,190 | 100% |

| | Indiana HIV | | Indian | a AIDS | U.S. AIDS** | | |
|------------------------|-------------|------|--------|--------|--------------------|------|--|
| Sex | Cases | % | Cases | % | Cases | % | |
| Male | 2,874 | 81% | 5,512 | 90% | 623,888 | 83% | |
| Female | 653 | 19% | 639 | 10% | 129,006 | 17% | |
| Total with missing sex | 3,527 | 100% | 6,151 | 100% | 752,894 753,907 | 100% | |



| Indiana 1998 Census | | | | | | | | | |
|---------------------|-----------|------|-----------|----------|--|--|--|--|--|
| | Male | % | Female | % | | | | | |
| White | 2,536,936 | 88% | 2,668,702 | 88% | | | | | |
| Black | 232,289 | 8% | 258,337 | 9% | | | | | |
| Hispanic | 73,700 | 3% | 71,480 | 2% | | | | | |
| Other | 27,579 | 1% | 30,172 | 1% | | | | | |
| Total | 2,870,50 | 100% | 3,028,691 | 100% | | | | | |



| U.S. 1998 Census - rounded | | | | | | | | | | |
|----------------------------|-------------|----------|-------------|----------|--|--|--|--|--|--|
| | Male | % | Female | % | | | | | | |
| White | 95,601,000 | 72% | 99,839,000 | 72% | | | | | | |
| Black | 15,485,000 | 12% | 17,233,000 | 12% | | | | | | |
| Hispanic | 15,233,000 | 12% | 15,017,000 | 11% | | | | | | |
| Other | 5,727,000 | 4% | 6,164,000 | 4% | | | | | | |
| Total | 132,046,000 | 100% | 138,253,000 | 99% | | | | | | |

^{*}Total includes 765 males and 178 females whose race is unknown.

^{**}Includes 3 persons whose sex is unknown.

Perinatal HIV Transmission

Children Born to HIV Infected Mothers

| Race | Exposed* | HIV | AIDS | Definitely Not Infected | TO | ΓAL |
|-------------|----------|-----|------|----------------------------|-----|------|
| White | 13 | 11 | 15 | 74 | 113 | 36% |
| Black | 32 | 22 | 17 | 80 | 151 | 48% |
| Hispanic | 3 | 0 | 0 | 4 | 7 | 2% |
| Multiracial | 9 | 3 | 3 | 27 | 42 | 13% |
| Other | 2 | 0 | 1 | 0 | 3 | 1% |
| TOTAL | 59 | 36 | 36 | 185 | 316 | 100% |


^{*}Includes children lost to follow-up. Their progression to other categories is unknown at this time.


Exposed Children born to HIV+ women. Laboratory testing has not yet determined their HIV status.

HIV Children born to HIV+ women. Laboratory testing has confirmed that the child is HIV+.

AIDS Children born to HIV+ women. This child meets the case definition for pediatric AIDS.


Definitely Children born to HIV+ women. Through laboratory testing, the child is confirmed to be **Not Infected definitely not infected (DNI)**.






The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-3). All infants born to an HIV+ mother should be reported, even though their final HIV status is not known until later. Current Indiana law requires the primary prenatal care provider to offer the pregnant women HIV information, counseling, and voluntary testing. Medical studies indicate that pregnant women who are HIV positive can reduce the risk of passing HIV to their children by two-thirds with proper perinatal care and anti-viral treatment during pregnancy, labor, delivery, and to the child after birth. In order to ensure that appropriate information, counseling, and testing are provided to pregnant women, the ISDH has formulated a rule that facilitates provider compliance with the law. It is our belief that this will provide better health care for pregnant women and our newest Hoosiers. If you would like additional information regarding this rule, the law or reporting, please call 1-800-376-2501.

Cases Reported



Deaths Reported



STD Morbidity

Syphilis, Gonorrhea, and Chlamydia Morbidity – First Quarter of 2001 Provisional Data

| Gender | Syphi Sta | | | Syphilis (Primary and Secondary) Gonorrhea | | rrhea | Chlan | nydia |
|--------------|--------------|------|-----------------------|--|-----------|-------|-----------|-------|
| Male | 59 | 45% | 24 | 55% | 746 | 44% | 945 | 23% |
| Female | 76 | 55% | 20 | 45% | 944 | 56% | 3,110 | 77% |
| Unknown | 0 | 0% | 0 | 0% | 2 | 0% | 8 | <1% |
| Total | 135 | 100% | 44 | 100% | 1,692 | 100% | 4,063 | 100% |
| Race | Syphi Sta | | Syphilis (and Sec | • | Gono | rrhea | Chlan | nydia |
| White | 28 | 21% | 3 | 7% | 333 | 20% | 1,404 | 35% |
| Black | 98 | 73% | 41 | 93% | 1,048 | 62% | 1,576 | 39% |
| All others | 3 | 2% | 0 | 0% | 49 | 3% | 154 | 3% |
| Unknown | 6 | 4% | 0 | 0% | 262 | 15% | 929 | 23% |
| Total | 135 | 100% | 44 | 100% | 1,692 | 100% | 4,063 | 100% |
| Ethnicity | Syphi Sta | | Syphilis (| ` • | Gonorrhea | | Chlan | nydia |
| Hispanic | 6 | 4% | 2 | 4% | 52 | 3% | 193 | 5% |
| Non-Hispanic | 102 | 76% | 36 | 82% | 1,019 | 60% | 2,243 | 55% |
| Unknown | 27 | 20% | 6 | 14% | 621 | 37% | 1,627 | 40% |
| Total | 135 | 100% | 44 | 100% | 1,692 | 100% | 4,063 | 100% |
| Age | Syphi Sta | | Syphilis (| | Gonorrhea | | Chlamydia | |
| 0-9 | 2 | 2% | 0 | 0% | 5 | <1% | 7 | <1% |
| 10-14 | 1 | 1% | 0 | 1% | 26 | 1% | 71 | 2% |
| 15-19 | 9 | 7% | 4 | 9% | 504 | 30% | 1,526 | 38% |
| 20-24 | 25 | 19% | 9 | 21% | 513 | 30% | 1,481 | 37% |
| 25-29 | 23 | 17% | 6 | 14% | 277 | 16% | 512 | 13% |
| 30-34 | 19 | 14% | 9 | 21% | 147 | 9% | 209 | 5% |
| 35-39 | 16 | 12% | 6 | 14% | 78 | 5% | 97 | 2% |
| 40-44 | 10 | 7% | 5 | 11% | 69 | 4% | 66 | 2% |
| 45-49 | 6 | 4% | 1 | 2% | 29 | 2% | 23 | <1% |
| 50-54 | 3 | 2% | 2 | 4% | 10 | <1% | 8 | <1% |
| 55-59 | 3 | 2% | 1 | 2% | 6 | <1% | 1 | <1% |
| 60-64 | 6 | 4% | 1 | 2% | 8 | <1% | 2 | <1% |
| 65+ | 12 | 9% | 0 | 0% | 5 | <1% | 5 | <1% |
| Unknown | 0 | 0% | 0 | 0% | 15 | <1% | 55 | 1% |
| Total | 135 | 100% | 44 | 100% | 1,692 | 100% | 4,063 | 100% |

Source: ISDH STDMIS Database

Currently Living in Indiana with HIV Disease by Last Known County of Residence

| No cell less than 5 is shown in | Se | 2X | Race | Ethnicity Sele | ected | T () |
|---------------------------------|------|--------|-------|----------------|----------|-------|
| Cast Known County of Residence | Male | Female | White | Black | Hispanic | Total |
| ADAMS CO. | 8 | | 6 | | | 9 |
| ALLEN CO. | 249 | 51 | 194 | 92 | | 300 |
| BARTHOLOMEW CO. | 28 | 5 | 28 | | 10 | 33 |
| BENTON CO. | | - | - | | - | |
| BLACKFORD CO. | | | 6 | | | 6 |
| BOONE CO. | 16 | 8 | 23 | | | 24 |
| BROWN CO. | 11 | | 13 | | | 13 |
| CARROLL CO. | 5 | | 5 | | | 5 |
| CASS CO. | 21 | | 15 | | | 22 |
| CLARK CO. | 78 | 18 | 68 | 23 | | 96 |
| CLAY CO. | 9 | | 11 | | | 12 |
| CLINTON CO. | 8 | | 10 | | | 11 |
| CRAWFORD CO. | | | | | | |
| DAVIESS CO. | | | 6 | | | 8 |
| DE KALB CO. | 8 | 5 | 13 | | | 13 |
| DEARBORN CO. | | | 5 | | | 5 |
| DECATUR CO. | | | 5 | | | 5 |
| DELAWARE CO. | 87 | 15 | 75 | 23 | | 102 |
| DUBOIS CO. | 9 | | 9 | | | 10 |
| ELKHART CO. | 76 | 21 | 69 | 22 | 6 | 97 |
| FAYETTE CO. | 6 | | | | | 7 |
| FLOYD CO. | 49 | 8 | 49 | 7 | | 57 |
| FOUNTAIN CO. | | | | | | |
| FRANKLIN CO. | | | | | | |
| FULTON CO. | 5 | | | | | 5 |
| GIBSON CO. | 11 | | 12 | | | 13 |
| GRANT CO. | 36 | 12 | 32 | 13 | | 48 |
| GREENE CO. | 6 | | 6 | | | 7 |
| HAMILTON CO. | 61 | 14 | 72 | | | 75 |
| HANCOCK CO. | 10 | | 12 | | | 13 |
| HARRISON CO. | 8 | | 11 | | | 11 |
| HENDRICKS CO. | 47 | 7 | 42 | 11 | | 54 |
| HENRY CO. | 17 | | 18 | | | 20 |
| HOWARD CO. | 52 | 23 | 51 | 19 | 5 | 75 |
| HUNTINGTON CO. | 7 | | 9 | | | 9 |
| JACKSON CO. | 10 | | 9 | | | 12 |
| JASPER CO. | 14 | 5 | 17 | | | 19 |
| JAY CO. | 13 | | 13 | | | 13 |
| JEFFERSON CO. | 10 | | 11 | | | 12 |
| JENNINGS CO. | | | 5 | | | 5 |
| JOHNSON CO. | 46 | 10 | 55 | | | 56 |

| No cell less than 5 is shown in order to protect confidentiality | Se | ex | Race/l | Total | | |
|--|-------|--------|--------|-------|----------|--------|
| | Male | Female | White | Black | Hispanic | 1 otai |
| Last Known County of Residence KNOX CO. | 19 | 11 | 22 | 7 | | 30 |
| KOSCIUSKO CO. | 24 | 5 | 26 | , | | 29 |
| LA PORTE CO. | 113 | 24 | 66 | 65 | 5 | 137 |
| LAGRANGE CO. | 9 | 24 | 10 | 03 | 3 | 11 |
| LAKE CO. | 587 | 165 | 234 | 451 | 66 | 752 |
| LAWRENCE CO. | 15 | 103 | 15 | 431 | 00 | 17 |
| MADISON CO. | 131 | 22 | 111 | 40 | | 153 |
| MARION CO. | 2,225 | 415 | 1,509 | 1,052 | 70 | 2,640 |
| MARSHALL CO. | 7 | 113 | 8 | 1,032 | 70 | 8 |
| MARTIN CO. | , | | | | | 0 |
| MIAMI CO. | 11 | 8 | 16 | | | 19 |
| MONROE CO. | 133 | 18 | 124 | 16 | 8 | 151 |
| MONTGOMERY CO. | 133 | 10 | 17 | 10 | 0 | 17 |
| MORGAN CO. | 22 | | 25 | | | 26 |
| NEWTON CO. | 22 | | 23 | | | 20 |
| NOBLE CO. | 8 | | 8 | | | 8 |
| ОНЮ СО. | 0 | | 8 | | | 0 |
| ORANGE CO. | 6 | | 6 | | | 6 |
| OWEN CO. | 10 | | 11 | | | 13 |
| PARKE CO. | 6 | | 7 | | | 8 |
| PERRY CO. | 6 | | , | | | 6 |
| PIKE CO. | 0 | | | | | 0 |
| PORTER CO. | 73 | 24 | 88 | 6 | | 97 |
| POSEY CO. | 13 | 24 | 00 | 0 | | 71 |
| PULASKI CO. | | | | | | |
| PUTNAM CO. | 32 | | 19 | 12 | | 33 |
| RANDOLPH CO. | 6 | 6 | 9 | 12 | | 12 |
| RIPLEY CO. | 0 | 0 | | | | 12 |
| RUSH CO. | 5 | | 5 | | | 5 |
| SCOTT CO. | 3 | | 6 | | | 6 |
| SHELBY CO. | 12 | | 16 | | | 16 |
| SPENCER CO. | 6 | | 6 | | | 7 |
| ST JOSEPH CO. | 251 | 62 | 170 | 129 | 13 | 313 |
| STARKE CO. | 7 | 02 | 7 | 127 | 13 | 9 |
| STEUBEN CO. | 11 | | 13 | | | 13 |
| SULLIVAN CO. | 8 | | 9 | | | 11 |
| SWITZERLAND CO. | Ŭ | | 5 | | | 5 |
| TIPPECANOE CO. | 58 | 11 | 52 | 8 | 9 | 69 |
| VANDERBURGH CO. | 181 | 29 | 173 | 37 | | 210 |
| VERMILLION CO. | 6 | 27 | 9 | 57 | | 9 |
| VIGO CO. | 191 | 11 | 91 | 71 | 40 | 202 |
| WABASH CO. | 6 | 6 | 12 | , 1 | 10 | 12 |
| WARREN CO. | | 3 | 12 | | | 12 |
| WARRICK CO. | 15 | | 19 | | | 19 |
| WARRICK CO. WASHINGTON CO. | 5 | | 6 | | | 6 |
| WASHINGTON CO. | | | U | | | 0 |

| No cell less than 5 is shown in order to protect confidentiality | Se | ex | Race | Total | | | |
|--|-------|--------|-------|-------|----------|-------|--|
| Last Known County of Residence | Male | Female | White | Black | Hispanic | Total | |
| WAYNE CO. | 61 | 19 | 64 | 14 | | 80 | |
| WELLS CO. | | | | | | | |
| WHITE CO. | 10 | | 11 | | | 11 | |
| WHITLEY CO. | | | | | | | |
| Total | 5,375 | 1,125 | 4,041 | 2,156 | 275 | 6,500 | |

Currently Living in Indiana with HIV Disease by Last Known County of Residence

| No cell less than 5 is shown in order to protect confidentiality | Mode of exposure | | | | | | Total |
|--|------------------|-----|---------|--------------|-----------------|----------------|-------|
| Patient's current county of residence | MSM | IDU | MSM/IDU | Heterosexual | Not Reported | Mother HIV+ | 10001 |
| ADAMS CO. | 6 | | | | | | 9 |
| ALLEN CO. | 180 | 22 | 13 | 24 | 48 | 8 | 300 |
| BARTHOLOMEW CO. | 17 | | | | 9 | | 33 |
| BENTON CO. | | | | | | | |
| BLACKFORD CO. | | | | | | | 6 |
| BOONE CO. | 9 | | | 7 | | | 24 |
| BROWN CO. | 7 | | | | | | 13 |
| CARROLL CO. | | | | | | | 5 |
| CASS CO. | 11 | | | | | | 22 |
| CLARK CO. | 51 | 9 | 6 | 13 | 13 | | 96 |
| CLAY CO. | 5 | | | | | | 12 |
| CLINTON CO. | 5 | | | | | | 11 |
| CRAWFORD CO. | | | | | | | |
| DAVIESS CO. | | | | | | | 8 |
| DE KALB CO. | 6 | | | | | | 13 |
| DEARBORN CO. | | | | | | | 5 |
| DECATUR CO. | | | | | | | 5 |
| DELAWARE CO. | 54 | 11 | | 13 | 15 | | 102 |
| DUBOIS CO. | 7 | | | | | | 10 |
| ELKHART CO. | 42 | 9 | | 17 | 19 | 7 | 97 |
| FAYETTE CO. | | | | | | | 7 |
| FLOYD CO. | 35 | 6 | | | 9 | | 57 |
| FOUNTAIN CO. | | | | | | | |
| FRANKLIN CO. | | | | | | | |
| FULTON CO. | | | | | | | 5 |
| GIBSON CO. | 6 | | | | | | 13 |
| GRANT CO. | 21 | | | 10 | 5 | 5 | 48 |
| GREENE CO. | | | | | | | 7 |
| HAMILTON CO. | 44 | 7 | | 10 | 7 | | 75 |
| HANCOCK CO. | 6 | | | | | | 13 |

| No cell less than 5 is shown in order to protect confidentiality | . Mode of exposure | | | | | | Total |
|--|--------------------|-----|---------|--------------|-----------------|----------------|-------|
| Patient's current county of residence | MSM | IDU | MSM/IDU | Heterosexual | Not Reported | Mother HIV+ | 10141 |
| HARRISON CO. | 6 | | | | • | | 11 |
| HENDRICKS CO. | 20 | 7 | 5 | 8 | 9 | | 54 |
| HENRY CO. | 8 | | | | 6 | | 20 |
| HOWARD CO. | 29 | | | 21 | 9 | 8 | 75 |
| HUNTINGTON CO. | | | | | | | 9 |
| JACKSON CO. | 7 | | | | | | 12 |
| JASPER CO. | 8 | | | | | | 19 |
| JAY CO. | 9 | | | | | | 13 |
| JEFFERSON CO. | 7 | | | | | | 12 |
| JENNINGS CO. | | | | | | | 5 |
| JOHNSON CO. | 30 | | | 10 | 9 | | 56 |
| KNOX CO. | 9 | 6 | | 12 | - | | 30 |
| KOSCIUSKO CO. | 16 | | | 5 | | | 29 |
| LA PORTE CO. | 58 | 24 | 11 | 20 | 16 | 6 | 137 |
| LAGRANGE CO. | 5 | | | - | - | - | 11 |
| LAKE CO. | 282 | 139 | 39 | 89 | 149 | 42 | 752 |
| LAWRENCE CO. | 12 | | | | - | | 17 |
| MADISON CO. | 71 | 17 | 7 | 20 | 31 | 6 | 153 |
| MARION CO. | 1,476 | 217 | 125 | 267 | 426 | 103 | 2,640 |
| MARSHALL CO. | 5 | 217 | 123 | 207 | 120 | 103 | 8 |
| MARTIN CO. | | | | | | | Ü |
| MIAMI CO. | | | | | 5 | | 19 |
| MONROE CO. | 94 | 8 | 14 | 14 | 14 | 5 | 151 |
| MONTGOMERY CO. | 9 | - 0 | 11 | 11 | 11 | 5 | 17 |
| MORGAN CO. | 15 | | | | | | 26 |
| NEWTON CO. | 13 | | | | | | 20 |
| NOBLE CO. | | | | | | | 8 |
| OHIO CO. | | | | | | | 0 |
| ORANGE CO. | | | | | | | 6 |
| OWEN CO. | 6 | | | | | | 13 |
| PARKE CO. | 5 | | | | | | 8 |
| PERRY CO. | 3 | | | | | | 6 |
| PIKE CO. | | | | | | | U |
| PORTER CO. | 38 | 16 | 6 | 15 | 14 | 7 | 97 |
| POSEY CO. | 30 | 10 | 0 | 13 | 14 | , | 71 |
| PULASKI CO. | | | | | | | |
| PUTNAM CO. | 14 | 12 | | | | | 33 |
| RANDOLPH CO. | 14 | 12 | | 6 | | | 12 |
| RIPLEY CO. | | | | 0 | | | 12 |
| | | | | | | | 5 |
| RUSH CO. | | | | | | | 6 |
| SCOTT CO. | 8 | | | | | | 16 |
| SHELBY CO. | 8 | | | | | | |
| SPENCER CO. | 1.05 | 20 | 1.1 | 20 | 4.5 | 1.0 | 7 |
| ST JOSEPH CO. | 165 | 32 | 11 | 39 | 45 | 16 | 313 |
| STARKE CO. | 5 | | | | | | 9 |
| STEUBEN CO. | 5 | | | | | | 13 |
| SULLIVAN CO. | | | | | | | 11 |

| No cell less than 5 is shown in order to protect confidentiality | Mode of exposure | | | | | | Total |
|--|------------------|-----|---------|--------------|-----------------|----------------|-------|
| Patient's current county of residence | MSM | IDU | MSM/IDU | Heterosexual | Not Reported | Mother HIV+ | |
| SWITZERLAND CO. | | | | | | | 5 |
| TIPPECANOE CO. | 41 | | 5 | 7 | 11 | | 69 |
| VANDERBURGH CO. | 124 | 16 | 25 | 24 | 8 | 10 | 210 |
| VERMILLION CO. | | | | | | | 9 |
| VIGO CO. | 50 | 47 | 7 | 13 | 84 | | 202 |
| WABASH CO. | 5 | | | | | | 12 |
| WARREN CO. | | | | | | | |
| WARRICK CO. | 10 | | | | | | 19 |
| WASHINGTON CO. | | | | | | | 6 |
| WAYNE CO. | 41 | | 5 | 14 | 8 | 6 | 80 |
| WELLS CO. | | | | | | | |
| WHITE CO. | 6 | | | | | | 11 |
| WHITLEY CO. | | · | | | | | |
| Total | 3,295 | 667 | 340 | 769 | 1,044 | 284 | 6,500 |